

FIG. 1






FIG. 2





**FIG. 3**

Inventor(s): Tetsuichiro

YAMAMOTO, et al.

DOCKET NO.: 045054/0142

FIG. 4**FIG. 5**

Inventor(s): Tetsuichiro

YAMAMOTO, et al.

DOCKET NO.: 045054/0142

FIG. 7

		<i>interval "N" among line-like strings of light sensing devices (N being expressed by numbers of reading lines)</i>															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<i>numbers "M" of line-like strings of light sensing devices</i>	2	×	×	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	3	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○	○
	4	×	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○
	5	×	×	×	×	×	○	○	○	○	○	○	○	○	○	○	○
	6	×	×	×	×	×	×	○	○	○	○	○	○	○	○	○	○
	7	×	×	×	×	×	×	×	○	○	○	○	○	○	○	○	○
	8	×	×	×	×	×	×	×	×	○	○	○	○	○	○	○	○
	9	×	×	×	×	×	×	×	×	×	○	○	○	○	○	○	○
	10	×	×	×	×	×	×	×	×	×	×	○	○	○	○	○	○

T05240-01604860





FIG. 8

Table 1. Demographic characteristics of the study population	
Age (years)	Mean (SD)
Male	55.2 (10.5)
Female	56.8 (11.2)
Marital status	
Married	78.5%
Single	21.5%
Education level	
High school or above	65.2%
Below high school	34.8%
Occupation	
Professional	12.3%
Managerial	18.7%
Technical	25.4%
Service	32.1%
Unemployed	11.5%
Income (USD/month)	
< 1000	15.6%
1000-2000	28.9%
2000-3000	35.2%
> 3000	20.3%

FIG. 9



Inventor(s): Tetsuichiro

YAMAMOTO, et al.


DOCKET NO.: 045054/0142


FIG.11

		<i>devices (N being expressed by numbers of reading lines)</i>															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<i>numbers "M" of line-like strings of light sensing devices</i>	2	○	×	○	×	○	×	○	×	○							
	3	○	○	×	○	○	×	○	○	×							
	4	○	×	○	×	○	×	○	×	○							
	5	○	○	○	○	×	○	○	○	○							
	6	○	×	×	×	○	×	○	×	×							
	7	○	○	○	○	○	○	×	○	○							
	8	○	×	○	×	○	×	○	×								
	9	○	○	×	○	○	×	○	○	×							
	10	○	×	○	×	×	×	○	×	○							

T05240-01604860

FIG. 12





AND APPARATUS FOR SAME

Inventor(s): Tetsuichiro

YAMAMOTO, et al.

DOCKET NO.: 045054/0142


FIG.15

		<i>interval "N" among line-like strings of light sensing devices (N being expressed by numbers of reading lines)</i>															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<i>numbers "M" of line-like strings of light sensing devices</i>	2	○	×	○	×	○	×	○	×	○	×	○	×	○	×	○	×
	3	○	○	△	○	○	×	○	○	△	○	○	×	○	○	△	○
	4	○	△	○	△	○	×	○	△	○	△	○	×	○	△	○	△
	5	○	○	○	○	△	○	○	○	○	△	○	○	○	○	△	○
	6	○	△	×	△	○	△	○	△	△	△	○	△	○	△	△	△
	7	○	○	○	○	○	○	△	○	○	○	○	○	○	△	○	○
	8	○	△	○	△	○	△	○	△	○	△	○	△	○	△	○	△
	9	○	○	△	○	○	△	○	○	△	○	○	△	○	○	△	○
	10	○	△	○	△	△	△	○	△	○	△	○	△	○	△	△	△

T05240" 01604860

Table 1. Demographic characteristics of the study population	
Age (years)	Mean (SD)
Male	55.2 (10.5)
Female	56.8 (11.2)
Marital status	
Married	78.5%
Single	21.5%
Education level	
High school or above	65.2%
Below high school	34.8%
Occupation	
Professional	12.3%
Managerial	18.7%
Technical	25.4%
Service	31.2%
Unemployed	12.4%
Income (USD/month)	
< 1000	15.6%
1000-2000	28.9%
2000-3000	35.7%
> 3000	19.8%

FIG. 16



Inventor(s): Tetsuichiro

YAMAMOTO, et al.

DOCKET NO.: 045054/0142

FIG. 17 (PRIOR ART)

